

Revision: 30.10.2019

Printing date 30.10.2019

V - 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Yamalube Visor & Helmet Cleaner
- · Article number: YMD-65049-00-73
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Void
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Yamaha Motor Europe N.V.

Koolhovenlaan 101

NL-1119 NC Schiphol-Rijk Tel.: +31 (0) 20 6546000 Fax: +31 (0) 20 6546565 www.yamaha-motor.eu

P&Acustomersupport@yamaha-motor.nl

- · Further information obtainable from: Nationaal Vergiftigingen Informatie Centrum Utrecht
- · 1.4 Emergency telephone number: +31 (0) 30 2748888

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of the substances with nonhazardous additions.

| Dan | aerous | compo | nents: |
|-----|--------|-------|--------|
| | | | |

CAS: 64-17-5 ethanol 5-10%

EINECS: 200-578-6 Flam. Liq. 2, H225; Eye Irrit. 2, H319

Reg.nr.: 01-2119457610-43-xxxx Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %

· SVHC None

(Contd. on page 2)

GB



Printing date 30.10.2019 V - 5 Revision: 30.10.2019

Trade name: Yamalube Visor & Helmet Cleaner

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Rinse with warm water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

The usual precautionary measures are to be adhered to when handling chemicals.

- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 3)

- GE



Printing date 30.10.2019 V - 5 Revision: 30.10.2019

Trade name: Yamalube Visor & Helmet Cleaner

(Contd. of page 2)

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

| · Ingredien | ngredients with limit values that require monitoring at the workplace: | | |
|-------------|--|----------------------------------|--|
| 64-17-5 et | -5 ethanol | | |
| WEL Long | g-term value: 1920 mg/m³, 1000 pp | term value: 1920 mg/m³, 1000 ppm | |
| · DNELs | Ls | | |
| 64-17-5 et | thanol | | |
| Oral | DNEL system. effects (long-term) | 87 mg/kg KG/Tag (Consumer) | |
| Dermal | DNEL systemic effects | 343 mg/kg (Worker) | |
| | DNEL system. effects (long-term) | 206 mg/kg KG/Tag (Consumer) | |
| Inhalative | DNEL system. effects (long-term) | 114 mg/m³ (Consumer) | |
| | | 950 mg/m³ (Worker) | |
| | DNEL local effects (short-term) | 950 mg/m³ (Consumer) | |
| | | 1,900 mg/m³ (Worker) | |

PNECs

64-17-5 ethanol

PNEC 0.79 mg/l (Meerwasser)

0.96 mg/l (fresh water)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

GB

(Contd. on page 4)



Printing date 30.10.2019 V - 5 Revision: 30.10.2019

Trade name: Yamalube Visor & Helmet Cleaner

(Contd. of page 3)

| 9.1 Information on basic physical and o General Information | chemical properties |
|--|--|
| General Information Appearance: | |
| Form: | Fluid |
| Colour: | Colourless |
| Odour: | Fruit-like |
| Odour threshold: | Not determined. |
| pH-value: | Neutral |
| Change in condition | |
| Melting point/freezing point: | -4 °C |
| Initial boiling point and boiling range | : 78-100 °C |
| Flash point: | 47 °C |
| Flammability (solid, gas): | Not applicable. |
| Ignition temperature: | Not determined |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. However, formation of explosive air/vapou mixtures are possible. |
| Explosion limits: | |
| Lower: | Void |
| Upper: | Void |
| Vapour pressure: | Not determined. |
| Density at 20 °C: | 0.98 +/- 0.02 g/cm³ (DIN 51757) |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| water: | Soluble. |
| Partition coefficient: n-octanol/water: | Not determined. |
| Viscosity: | |
| Dynamic: | Not determined |
| Kinematic: | Not determined |

SECTION 10: Stability and reactivity

· 9.2 Other information

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Store away from oxidising agents.
- 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

In case of fire, the following can be released:

(Contd. on page 5)

GB-



Printing date 30.10.2019 V - 5 Revision: 30.10.2019

Trade name: Yamalube Visor & Helmet Cleaner

Carbon monoxide and carbon dioxide

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

| | · LD/LC50 | · LD/LC50 values relevant for classification: | |
|---|------------|---|-----------------------|
| Γ | 64-17-5 et | thanol | |
| ſ | Oral | LD50 | 10,470 mg/kg (rat) |
| | Dermal | LD50 | >2,000 mg/kg (rabbit) |
| | Inhalative | LC50/4 h | >20 mg/l (mouse) |

- · Specific symptoms in biological assay: Not determined
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

64-17-5 ethanol

EC50/48h >10,000 mg/l (daphnia magna)

LC50/48h | 8,140 mg/l (leuciscus idus)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · **Recommendation** Disposal must be made according to official regulations.

(Contd. on page 6)

GB



Printing date 30.10.2019

V - 5

Revision: 30.10.2019

Trade name: Yamalube Visor & Helmet Cleaner

| | (Contd. of page 5) |
|-----------|---|
| · Europea | n waste catalogue |
| 20 00 00 | MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS |
| 20 01 00 | separately collected fractions (except 15 01) |
| 20 01 30 | detergents other than those mentioned in 20 01 29 |

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 44.4.1101.01 | |
|---|---|
| 14.1 UN-Number | Void |
| ADR, ADN, IMDG, IATA | VOIU |
| 14.2 UN proper shipping name | |
| ADR, ADN, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) | |
| ADR, ADN, IMDG, IATA | |
| Class | Void |
| 14.4 Packing group | |
| ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | None |
| Marine pollutant: | No |
| 14.6 Special precautions for user | None |
| 14.7 Transport in bulk according to Ann | ex II of |
| Marpol and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Remarks: | Not dangerous good. ADR Special Provisions No.144. |
| IMDG | |
| Remarks: | Not dangerous good. IMDG-Code Special Provisions 144. |
| IATA | |
| Remarks: | Not dangerous good. IATA Special Provisions No. A 58. |
| UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

- GB

(Contd. on page 7)



Printing date 30.10.2019

V - 5

Revision: 30.10.2019

Trade name: Yamalube Visor & Helmet Cleaner

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.